

Date

Reference

2024-04-26

2024/740

Scope of accreditation

Testing according to SS-EN ISO/IEC 17025:2018

Intertek Semko AB

Kista

Accreditation number

1003

A000426-001

Climate and environmental durability

Electrical quantities

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|-----------------------|------------------|------------------------------|-------------|---------------------|--------------|----------------------------|
| ATT-TP-76200 Issue 18 | | Electrical equipment | No | | No | Only section 6.3 |
| GR-3171-CORE, Issue 1 | | Telecommunications equipment | No | | No | Only sections C.4.1, C.4.2 |
| GR-63-CORE Issue 4 | | Electrical equipment | No | | No | Only section 4.1.8, 4.2.3 |
| SS-EN 60529:2014 | | Electrical equipment | No | | No | |

Climate and environmental durability

Temperature/Humidity

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|------------------------|------------------|----------------------|-------------|---------------------|--------------|--|
| ATT-TP-76200 Issue 18 | | Electrical equipment | No | | No | Only section 6.1, 6.2, 6.3, 9, 10 |
| EN 60068-2-1:2007 | | Electrical equipment | No | | No | |
| EN 60068-2-14:2009 | Temperature | Electrical equipment | No | | No | |
| EN 60068-2-2:2007 | Heat Resistance | Electrical equipment | No | | No | |
| EN 60068-2-30:2005 | Temperature | Electrical equipment | No | | No | |
| EN 60068-2-38:2009 | | Electrical equipment | No | | No | |
| EN 60068-2-78:2013 | | Electrical equipment | No | | No | |
| EN 60945:2002 | | Radio equipment | Yes | 2 | No | Only 8.2-8.6 |
| EN IEC 60068-2-38:2021 | | Electrical equipment | No | | No | |
| GR-3108-CORE, Issue 3 | | Electrical equipment | No | | No | Only section 4.2, 4.2.2, 4.3.1, 4.4, 4.5.1, 4.5.2, 4.6, 4.6.1, 4.7 |

Climate and environmental durability

Temperature/Humidity

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|-----------------------|------------------|------------------------------|-------------|---------------------|--------------|--|
| GR-3171-CORE, Issue 1 | | Telecommunications equipment | No | | No | Only sections C.4.1, C.4.2 |
| GR-3178-CORE, Issue 1 | | Electrical equipment | No | | No | Only section 6.6.1, 6.6.4 |
| GR-487-CORE, Issue 4 | | Electrical equipment | No | | No | Only section 3.3.1, 3.34 |
| GR-63-CORE Issue 4 | | Electrical equipment | No | | No | Only section 4.1.1, 4.1.2, 4.1.3, 4.1.4, 4.1.5, 4.1.6, 4.1.7, 4.1.8, 4.2.3 |
| IEC 60068-2-1:2007 | | Electrical equipment | No | | No | |
| IEC 60068-2-14:2009 | Temperature | Electrical equipment | No | | No | |
| IEC 60068-2-2:2007 | Heat Resistance | Electrical equipment | No | | No | |
| IEC 60068-2-30:2005 | Temperature | Electrical equipment | No | | No | |
| IEC 60068-2-38:2009 | | Electrical equipment | No | | No | |
| IEC 60068-2-38:2021 | | Electrical equipment | No | | No | |
| IEC 60068-2-78:2012 | | Electrical equipment | No | | No | |
| IEC 60529:2001 | | Electrical equipment | No | | No | |
| IEC 60529:2013 | | Electrical equipment | No | | No | |
| IEC 60945:2002 | | Radio equipment | Yes | 2 | No | Only 8.2-8.6 |
| ISO 20653:2013 | | Electrical equipment | No | | No | |
| SS-EN 60068-2-1:2007 | | Electrical equipment | No | | No | |
| SS-EN 60068-2-14:2009 | Temperature | Electrical equipment | No | | No | |
| SS-EN 60068-2-2:2007 | Heat Resistance | Electrical equipment | No | | No | |
| SS-EN 60068-2-30:2006 | Temperature | Electrical equipment | No | | No | |
| SS-EN 60068-2-38:2010 | | Electrical equipment | No | | No | |
| SS-EN 60068-2-38:2021 | | Electrical equipment | No | | No | |

Climate and environmental durability

Temperature/Humidity

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|-----------------------|------------------|----------------------|-------------|---------------------|--------------|--------------|
| SS-EN 60068-2-78:2013 | | Electrical equipment | No | | No | |
| SS-EN 60529:1992 | | Electrical equipment | No | | No | |
| SS-EN 60529:2014 | | Electrical equipment | No | | No | |
| SS-EN 60945:2003 | | Radio equipment | Yes | 2 | No | Only 8.2-8.6 |

Climate and environmental durability

Vibration and shock

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|-----------------------|------------------|------------------------------|-------------|---------------------|--------------|-----------------------------------|
| EN 60068-2-31:2008 | | Electrical equipment | No | | No | |
| EN 60068-2-32:1993 | | Electrical equipment | No | | No | |
| GR-3108-CORE, Issue 3 | | Electrical equipment | No | | No | Only section 6.6 |
| GR-3171-CORE, Issue 1 | | Telecommunications equipment | No | | No | Only sections C.4.1, C.4.2, C.4.3 |
| GR-63-CORE Issue 4 | | Electrical equipment | No | | No | Only section 4.1.1, 4.3 |
| IEC 60068-2-31:2008 | | Electrical equipment | No | | No | |
| IEC 60068-2-32:1975 | | Electrical equipment | No | | No | |
| SS-EN 60068-2-31:2009 | | Electrical equipment | No | | No | |
| SS-EN 60068-2-32:2001 | | Electrical equipment | No | | No | |

Electrical testing

Electrical quantities

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|----------------|--------------------|----------------------|-------------|---------------------|--------------|-------------|
| CAN/CSA-C381.1 | | Special measurements | Yes | 2 | No | |
| CAN/CSA-C62301 | Energy consumption | Special measurements | Yes | 2 | No | |

Electrical testing

Electrical quantities

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|---|--------------------|----------------------|-------------|---------------------|--------------|--|
| CFR 10 part 430 appendix Y to subpart B | | Battery Chargers | Yes | 2 | No | |
| CFR 10 part 430 appendix Z to subpart B | | Special measurements | Yes | 2 | No | Not included: external power supplies with multiple voltages |
| EN 50342 | | Electrical equipment | Yes | 2 | No | |
| EN 50563 | Energy consumption | Electrical equipment | Yes | 2 | No | |
| EN 50564 | Energy consumption | Electrical equipment | Yes | 2 | No | |
| EN 50643 | Energy consumption | Electrical equipment | Yes | 2 | No | |
| EN 62087-1 | Energy consumption | Electrical equipment | Yes | 2 | No | Not included: Digital boxes |
| EN 62087-2 | Energy consumption | Electrical equipment | Yes | 2 | No | Not included: Digital boxes |
| EN 62087-3 | Energy consumption | Electrical equipment | Yes | 2 | No | Not included: Digital boxes |
| EN 62087-4 | Energy consumption | Electrical equipment | Yes | 2 | No | Not included: Digital boxes |
| EN 62087-5 | Energy consumption | Electrical equipment | Yes | 2 | No | Not included: Digital boxes |
| EN 62087-6 | Energy consumption | Electrical equipment | Yes | 2 | No | Not included: Digital boxes |
| EN 62087-7 | Energy consumption | Electrical equipment | Yes | 2 | No | Not included: Digital boxes |
| EN 62623 | Energy consumption | Electrical equipment | Yes | 2 | No | |
| Energy performance of external ac-dc and ac-ac power supplies | | Electrical equipment | Yes | 2 | No | |
| ENERGY STAR Program Requirements for Audio/Video | | Audio/Video | Yes | 2 | No | |
| ENERGY STAR Program Requirements for Computers | | Computers | Yes | 2 | No | |
| | | Electrical equipment | Yes | 2 | No | |

Electrical testing

Electrical quantities

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|--|--------------------|----------------------|-------------|---------------------|--------------|-----------------------------|
| ENERGY STAR Program Requirements for Display | | Electrical equipment | Yes | 2 | No | |
| | | Visual display units | Yes | 2 | No | |
| ENERGY STAR Program Requirements for Imaging Equipment | | Imaging equipment | Yes | 2 | No | |
| ENERGY STAR Program Requirements for Televisions | | Televisions | Yes | 2 | No | |
| IEC 61951-2 | | Electrical equipment | Yes | 2 | No | |
| IEC 61960 | | Electrical equipment | Yes | 2 | No | |
| IEC 62087-1 | Energy consumption | Electrical equipment | Yes | 2 | No | Not included: Digital boxes |
| IEC 62087-2 | Energy consumption | Electrical equipment | Yes | 2 | No | Not included: Digital boxes |
| IEC 62087-3 | Energy consumption | Electrical equipment | Yes | 2 | No | Not included: Digital boxes |
| IEC 62087-4 | Energy consumption | Electrical equipment | Yes | 2 | No | Not included: Digital boxes |
| IEC 62087-5 | Energy consumption | Electrical equipment | Yes | 2 | No | Not included: Digital boxes |
| IEC 62087-6 | Energy consumption | Electrical equipment | Yes | 2 | No | Not included: Digital boxes |
| IEC 62087-7 | Energy consumption | Electrical equipment | Yes | 2 | No | Not included: Digital boxes |
| IEC 62301 | | Electrical equipment | Yes | 2 | No | |
| | Energy consumption | Special measurements | Yes | 2 | No | |

Electrical testing

Electrical safety

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|---------------------|------------------|---|-------------|---------------------|--------------|-------------|
| ANSI C18.1M, Part 1 | Performance | Portable rechargeable cells and batteries | Yes | 2 | No | |

Electrical testing

Electrical safety

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|--|------------------|---|-------------|---------------------|--------------|---|
| ANSI C18.2M, Part 1 | Performance | Portable rechargeable cells and batteries | Yes | 2 | No | Only for intervals 1 mA - 50 A. Not included: section 1.4.7. |
| ANSI C18.3M, Part 1 | Performance | Portable rechargeable cells and batteries | Yes | 2 | No | |
| AS/NZS 60950.1 | | Systems and products | Yes | 2 | No | |
| CEI 23-50:2007+V1:2008+V2:2011+V3:2015+V4:2015 | | Sensors | No | | No | |
| EN 13032-4 | | Electrical equipment | Yes | 2 | No | |
| EN 50066 | | Installation materials | Yes | 2 | No | |
| EN 50075:1990 | | Installation materials | No | | No | |
| EN 50085-1 | | Cable ducting systems | Yes | 2 | No | |
| EN 50085-2-1 | | Cable ducting systems | Yes | 2 | No | |
| EN 50250 | | Installation materials | Yes | 2 | No | |
| EN 50342-1 | | Lead acid starter batteries | Yes | 2 | No | Only for maximum current 1000 A. Not included: sections 5.6.2.1, 5.8, 5.9.1 |
| EN 50525-1 | | Electric cable | Yes | 2 | No | |
| EN 50525-2-11 | | Electric cable | Yes | 2 | No | |
| EN 50525-2-12 | | Electric cable | Yes | 2 | No | |
| EN 50525-2-21 | | Electric cable | Yes | 2 | No | |
| EN 50525-2-22 | | Electric cable | Yes | 2 | No | |
| EN 50525-2-31 | | Electric cable | Yes | 2 | No | |
| EN 50525-2-41 | | Electric cable | Yes | 2 | No | |
| EN 50525-2-42 | | Electric cable | Yes | 2 | No | |
| EN 50525-2-51 | | Electric cable | Yes | 2 | No | |
| EN 50525-2-71 | | Electric cable | Yes | 2 | No | |

Electrical testing

Electrical safety

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|---------------|------------------|---|-------------|---------------------|--------------|--------------------------------------|
| EN 50525-2-72 | | Electric cable | Yes | 2 | No | |
| EN 50525-2-81 | | Electric cable | Yes | 2 | No | |
| EN 50525-2-82 | | Electric cable | Yes | 2 | No | |
| EN 50525-2-83 | | Electric cable | Yes | 2 | No | |
| EN 50525-3-11 | Fire properties | Electric cable | Yes | 2 | No | |
| EN 50525-3-21 | Fire properties | Electric cable | Yes | 2 | No | |
| EN 50525-3-31 | Fire properties | Electric cable | Yes | 2 | No | |
| EN 50525-3-41 | Fire properties | Electric cable | Yes | 2 | No | |
| EN 60065 | | Multimedia products and office machines | Yes | 2 | No | |
| EN 60127-1 | | Miniature fuses | Yes | 2 | No | Max test current 500A AC and 100A DC |
| EN 60127-2 | | Miniature fuses | Yes | 2 | No | Max test current 500A AC and 100A DC |
| EN 60127-3 | | Miniature fuses | Yes | 2 | No | Max test current 500A AC and 100A DC |
| EN 60127-4 | | Miniature fuses | Yes | 2 | No | Max test current 500A AC and 100A DC |
| EN 60127-6 | | Miniature fuses | Yes | 2 | No | Max test current 500A AC and 100A DC |
| EN 60127-7 | | Miniature fuses | Yes | 2 | No | Max test current 500A AC and 100A DC |
| EN 60215 | | Radio equipment | Yes | 2 | No | |
| EN 60309-1 | | Industrial use adapters | Yes | 2 | No | |
| EN 60309-2 | | Industrial use adapters | Yes | 2 | No | 1000V, 800A. |
| EN 60309-4 | | Industrial use adapters | Yes | 2 | No | 1000V, 800A. |
| EN 60320-1 | | Appliance couplers for household and similar general purposes | Yes | 2 | No | |

Electrical testing

Electrical safety

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|---------------|------------------|---|-------------|---------------------|--------------|-------------|
| EN 60320-3 | | Appliance couplers for household and similar general purposes | Yes | 2 | No | |
| EN 60335-1 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-11 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-12 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-14 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-15 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-2 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-21 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-23 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-24 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-25 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-28 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-29 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-3 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-30 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-32 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-35 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-4 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-40 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-41 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-43 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-44 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-5 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-6 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-61 | | Household appliances | Yes | 2 | No | |

Electrical testing

Electrical safety

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|-----------------------------|------------------|----------------------|-------------|---------------------|--------------|-------------|
| EN 60335-2-64 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-65 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-67 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-68 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-69 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-7 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-70 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-73 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-74 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-75 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-79 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-8 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-80 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-85 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-89 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-9 | | Household appliances | Yes | 2 | No | |
| EN 60335-2-97 | | Household appliances | Yes | 2 | No | |
| EN 60384-14 | | Electrical equipment | Yes | 2 | No | |
| EN 60598-1:2015/A1:2018 | | Luminaires | No | | No | |
| EN 60598-2-1:1989 | | Luminaires | No | | No | |
| EN 60598-2-10:2003 | | Luminaires | No | | No | |
| EN 60598-2-13:2006/A2:2016 | | Luminaires | No | | No | |
| EN 60598-2-13:2006/A11:2021 | | Luminaires | No | | No | |
| EN 60598-2-19/A2:1998 | | Luminaires | No | | No | |

Electrical testing

Electrical safety

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|----------------------------|------------------|--|-------------|---------------------|--------------|---|
| EN 60598-2-2:2012 | | Luminaires | No | | No | |
| EN 60598-2-20:2015 | | Luminaires | No | | No | |
| EN 60598-2-21:2015 | | Luminaires | No | | No | |
| EN 60598-2-22:2014/A1:2020 | | Luminaires | No | | No | |
| EN 60598-2-24:2013 | | Luminaires | No | | No | |
| EN 60598-2-3:2003/A1:2011 | | Luminaires | No | | No | |
| EN 60598-2-4:2018 | | Luminaires | No | | No | |
| EN 60598-2-5:2015 | | Luminaires | No | | No | |
| EN 60601-1 | | Medical electrical equipment | Yes | 2 | Yes | 2nd edition: in section 6, AP and APG equipment and clause 44.7 sterilization |
| EN 60601-1-6 | | Medical electrical equipment | Yes | 2 | No | |
| EN 60601-1-8 | | Medical electrical equipment | Yes | 2 | No | |
| EN 60601-2-12 | | Medical electrical equipment | Yes | 2 | No | |
| EN 60601-2-13 | | Medical electrical equipment | Yes | 2 | No | |
| EN 60669-1 | | Switches for households and similar fixed electrical installations | Yes | 2 | No | |
| EN 60730-1 | | Automatic electrical controls for household use | Yes | 2 | No | |
| EN 60730-2-7 | | Automatic electrical controls for household use | Yes | 2 | No | |
| EN 60730-2-9 | | Automatic electrical controls for household use | Yes | 2 | No | |

Electrical testing

Electrical safety

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|---------------|------------------|----------------------|-------------|---------------------|--------------|---|
| EN 60745-1 | | Electrical equipment | Yes | 2 | No | Not included: measurement of vibrations |
| EN 60745-2-1 | | Electrical equipment | Yes | 2 | No | Not included: measurement of vibrations |
| EN 60745-2-14 | | Electrical equipment | Yes | 2 | No | Not included: measurement of vibrations |
| EN 60745-2-15 | | Electrical equipment | Yes | 2 | No | Not included: measurement of vibrations |
| EN 60745-2-17 | | Electrical equipment | Yes | 2 | No | Not included: measurement of vibrations |
| EN 60745-2-2 | | Electrical equipment | Yes | 2 | No | Not included: measurement of vibrations |
| EN 60745-2-3 | | Electrical equipment | Yes | 2 | No | Not included: measurement of vibrations |
| EN 60745-2-6 | | Electrical equipment | Yes | 2 | No | Not included: measurement of vibrations |
| EN 60799 | | Cord sets | Yes | 2 | No | |
| EN 60825-1 | | Laser | Yes | 2 | No | 180-10600 nm |
| EN 60825-2 | | Laser | Yes | 2 | No | |
| EN 60934 | | Circuit-breakers | Yes | 2 | No | Max test current 500A AC and 100A DC |
| EN 60939-3 | | Electrical equipment | Yes | 2 | No | |
| EN 60947-1 | | Switchgear | Yes | 2 | No | Max test current 500A AC and 100A DC |
| EN 60947-2 | | Switchgear | Yes | 2 | No | Max test current 500A AC and 100A DC |
| EN 60947-3 | | Switchgear | Yes | 2 | No | Max test current 500A AC and 100A DC |
| EN 60947-4-1 | | Switchgear | Yes | 2 | No | Max test current 500A AC and 100A DC |

Electrical testing

Electrical safety

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|---------------|------------------|---|-------------|---------------------|--------------|--------------------------------------|
| EN 60947-4-2 | | Switchgear | Yes | 2 | No | Max test current 500A AC and 100A DC |
| EN 60947-4-3 | | Switchgear | Yes | 2 | No | Max test current 500A AC and 100A DC |
| EN 60947-5-1 | | Switchgear | Yes | 2 | No | Max test current 500A AC and 100A DC |
| EN 60947-5-2 | | Switchgear | Yes | 2 | No | Max test current 500A AC and 100A DC |
| EN 60947-5-3 | | Switchgear | Yes | 2 | No | Max test current 500A AC and 100A DC |
| EN 60947-5-4 | | Switchgear | Yes | 2 | No | Max test current 500A AC and 100A DC |
| EN 60947-5-5 | | Switchgear | Yes | 2 | No | Max test current 500A AC and 100A DC |
| EN 60947-5-8 | | Switchgear | Yes | 2 | No | Max test current 500A AC and 100A DC |
| EN 60950 | | Multimedia products and office machines | Yes | 2 | No | |
| EN 60950-1 | | Multimedia products and office machines | Yes | 2 | No | |
| EN 60950-21 | | Multimedia products and office machines | Yes | 2 | No | |
| EN 60950-22 | | Multimedia products and office machines | Yes | 2 | No | |
| EN 60950-23 | | Multimedia products and office machines | Yes | 2 | No | |
| EN 60998-1 | | Couplings for low voltage installations in homes and similar uses | Yes | 2 | No | Max test current 500A AC and 100A DC |

Electrical testing

Electrical safety

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|---------------|------------------|---|-------------|---------------------|--------------|---|
| EN 60998-2-1 | | Couplings for low voltage installations in homes and similar uses | Yes | 2 | No | Max test current 500A AC and 100A DC |
| EN 61008-1 | | Residual current operated circuit-breakers without integral overcurrent protection for household and similar uses | Yes | 2 | No | |
| EN 61008-2-1 | | Residual current operated circuit-breakers without integral overcurrent protection for household and similar uses | Yes | 2 | No | |
| EN 61009-1 | | Residual current operated circuit-breakers with integral overcurrent protection for household and similar uses | Yes | 2 | No | |
| EN 61009-2-1 | | Residual current operated circuit-breakers with integral overcurrent protection for household and similar uses | Yes | 2 | No | |
| EN 61010-1 | | Medical electrical equipment | Yes | 2 | No | |
| EN 61029-1 | | Electrical equipment | Yes | 2 | No | Not included: measurement of vibrations |
| EN 61029-2-3 | | Electrical equipment | Yes | 2 | No | Not included: measurement of vibrations |
| EN 61058-1 | | Switches for appliances | Yes | 2 | No | |
| EN 61058-1-1 | | Switches for appliances | Yes | 2 | No | |
| EN 61058-1-2 | | Switches for appliances | Yes | 2 | No | |

Electrical testing

Electrical safety

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|-----------------------------------|------------------|-------------------------|-------------|---------------------|--------------|---|
| EN 61058-2-1 | | Switches for appliances | Yes | 2 | No | |
| EN 61347-1:2015 | | Electrical equipment | No | | No | |
| EN 61347-1:2015/A1:2021 | | Electrical equipment | No | | No | |
| EN 61347-2-11:2001/A1:2019 | | Electrical equipment | No | | No | |
| EN 61347-2-13:2014/A1:2017 | | Electrical equipment | No | | No | |
| EN 61347-2-7:2012 | | Electrical equipment | No | | No | |
| EN 61347-2-7:2012/A1:2019/A2:2022 | | Electrical equipment | No | | No | |
| EN 61386-1 | | Installation materials | Yes | 2 | No | Max test current 500A AC and 100A DC |
| EN 61386-21 | | Installation materials | Yes | 2 | No | Max test current 500A AC and 100A DC |
| EN 61386-22 | | Installation materials | Yes | 2 | No | Max test current 500A AC and 100A DC |
| EN 61439-1 | | Low voltage controlgear | Yes | 2 | No | Max test current 500A AC and 100A DC |
| EN 61439-2 | | Low voltage controlgear | Yes | 2 | No | Max test current 500A AC and 100A DC |
| EN 61439-3 | | Low voltage controlgear | Yes | 2 | No | Max test current 500A AC and 100A DC |
| EN 61439-4 | | Low voltage controlgear | Yes | 2 | No | Max test current 500A AC and 100A DC |
| EN 61439-5 | | Low voltage controlgear | Yes | 2 | No | Max test current 500A AC and 100A DC |
| EN 61439-6 | | Low voltage controlgear | Yes | 2 | No | Not included: sections 10.101, 10.102. Max test current 500A AC and 100A DC |

Electrical testing

Electrical safety

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|---------------|-------------------------------|---|-------------|---------------------|--------------|---|
| EN 61534-1 | | Cable ducting systems | Yes | 2 | No | |
| EN 61534-21 | | Cable ducting systems | Yes | 2 | No | |
| EN 61534-22 | | Cable ducting systems | Yes | 2 | No | |
| EN 61535 | | Sensors | Yes | 2 | No | Only Class II (max 3 kA) and Class III (max 6.6 kV) |
| EN 61558-1 | | Electrical equipment | Yes | 2 | No | |
| EN 61558-2-16 | | Electrical equipment | Yes | 2 | No | |
| EN 61558-2-6 | | Electrical equipment | Yes | 2 | No | |
| EN 61984 | | Sensors | Yes | 2 | No | |
| EN 61995-1 | | Sensors | Yes | 2 | No | |
| EN 61995-2 | | Sensors | Yes | 2 | No | |
| EN 62040-1 | | Multimedia products and office machines | Yes | 2 | No | |
| EN 62040-2 | | Multimedia products and office machines | Yes | 2 | No | |
| EN 62304 | Software life-cycle processes | Medical Devices | Yes | 2 | No | |
| EN 62366 | Usability | Medical Devices | Yes | 2 | No | |
| EN 62366-1 | Usability | Medical Devices | Yes | 2 | No | |
| EN 62368-1 | | Multimedia products and office machines | Yes | 2 | Yes | |
| EN 62368-3 | | Multimedia products and office machines | Yes | 2 | No | |
| EN 62384 | | Electrical equipment | Yes | 2 | No | |
| EN 62442-3 | | Electrical equipment | Yes | 2 | No | |
| EN 62444 | | Installation materials | Yes | 2 | No | |
| EN 62471 | | Electrical equipment | Yes | 2 | No | |

Electrical testing

Electrical safety

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|--------------------------------|------------------|-----------------------------|-------------|---------------------|--------------|---|
| EN 62560:2012/A1:2015/A11:2019 | | Electrical equipment | No | | No | |
| EN 62612 | | Electrical equipment | Yes | 2 | No | |
| EN 62722-1 | Perfomance | Electrical equipment | Yes | 2 | No | |
| EN 62722-2-1 | | Electrical equipment | Yes | 2 | No | |
| EN 62841-1 | | Electrical equipment | Yes | 2 | No | |
| EN IEC 60335-2-24 | | Household appliances | Yes | 2 | No | |
| EN IEC 60335-2-41 | | Household appliances | Yes | 2 | No | |
| EN IEC 60598-1:2021/A11:2022 | | Luminaires | No | | No | |
| EN IEC 60598-2-1:2021 | | Luminaires | No | | No | |
| EN IEC 60598-2-22:2022 | | Luminaires | No | | No | |
| EN IEC 60598-2-4:1997 | | Luminaires | No | | No | |
| EN IEC 60799 | | Cord sets | Yes | 2 | No | |
| EN IEC 61058-1 | | Switches for appliances | Yes | 2 | No | |
| EN IEC 61058-2-1 | | Switches for appliances | Yes | 2 | No | |
| EN IEC 61386-21 | | Installation materials | Yes | 2 | No | Max test current 500A AC and 100A DC |
| EN IEC 61386-22 | | Installation materials | Yes | 2 | No | Max test current 500A AC and 100A DC |
| EN IEC 61535 | | Sensors | Yes | 2 | No | Only Class II (max 3 kA) and Class III (max 6.6 kV) |
| EN IEC 61851-1 | | Vehicle charger | Yes | 2 | No | Charging mode 4 is excluded |
| EN IEC 62031:2020 | | Electrical equipment | No | | No | |

Electrical testing

Electrical safety

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|----------------------------|------------------|---|-------------|---------------------|--------------|---|
| EN IEC 62031:2020/A11:2022 | | Electrical equipment | No | | No | |
| EN ISO 10535 | | Medical electrical equipment | Yes | 2 | No | Not included: sections 7.2.1.6, 8, 9 |
| EN ISO 80601-2-55 | | Medical electrical equipment | Yes | 2 | No | |
| HD 21.8 S2 | | Installing cables | Yes | 2 | No | |
| HD 639 S1 | | Electrical equipment | Yes | 2 | No | |
| IEC 60065 | | Multimedia products and office machines | Yes | 2 | No | |
| IEC 60086-1 | | Primary batteries | Yes | 2 | No | |
| IEC 60086-2 | | Primary batteries | Yes | 2 | No | |
| IEC 60086-3 | | Primary batteries | Yes | 2 | No | Not included: section 7.2.4. Method A, C |
| IEC 60086-4 | | Primary batteries | Yes | 2 | No | |
| IEC 60086-5 | | Primary batteries | Yes | 2 | No | |
| IEC 60095-1 | | Lead acid starter batteries | Yes | 2 | No | Only for maximum current 1000 A. Not included: sections 7.10, 7.11.1. |
| IEC 60127-1 | | Miniature fuses | Yes | 2 | No | Max test current 500A AC and 100A DC |
| IEC 60127-2 | | Miniature fuses | Yes | 2 | No | Max test current 500A AC and 100A DC |
| IEC 60127-3 | | Miniature fuses | Yes | 2 | No | Max test current 500A AC and 100A DC |
| IEC 60127-4 | | Miniature fuses | Yes | 2 | No | Max test current 500A AC and 100A DC |
| IEC 60127-6 | | Miniature fuses | Yes | 2 | No | Max test current 500A AC and 100A DC |

Electrical testing

Electrical safety

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|---------------|------------------|-----------------------------------|-------------|---------------------|--------------|--------------------------------------|
| IEC 60127-7 | | Miniature fuses | Yes | 2 | No | Max test current 500A AC and 100A DC |
| IEC 60215 | | Radio equipment | Yes | 2 | No | |
| IEC 60227-1 | | Insulated polyvinylchloridecables | Yes | 2 | No | |
| IEC 60227-2 | | Insulated polyvinylchloridecables | Yes | 2 | No | |
| IEC 60227-3 | | Insulated polyvinylchloridecables | Yes | 2 | No | |
| IEC 60227-5 | | Insulated polyvinylchloridecables | Yes | 2 | No | |
| IEC 60227-6 | | Insulated polyvinylchloridecables | Yes | 2 | No | |
| IEC 60227-7 | | Insulated polyvinylchloridecables | Yes | 2 | No | |
| IEC 60245-1 | | Silicone rubber insulated cables | Yes | 2 | No | |
| IEC 60245-2 | | Silicone rubber insulated cables | Yes | 2 | No | |
| IEC 60245-3 | | Silicone rubber insulated cables | Yes | 2 | No | |
| IEC 60245-4 | | Silicone rubber insulated cables | Yes | 2 | No | |
| IEC 60245-5 | | Silicone rubber insulated cables | Yes | 2 | No | |
| IEC 60245-6 | | Silicone rubber insulated cables | Yes | 2 | No | |
| IEC 60245-7 | | Silicone rubber insulated cables | Yes | 2 | No | |
| IEC 60245-8 | | Silicone rubber insulated cables | Yes | 2 | No | |

Electrical testing

Electrical safety

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|----------------|------------------|---|-------------|---------------------|--------------|--------------|
| IEC 60309-1 | | Industrial use adapters | Yes | 2 | No | |
| IEC 60309-2 | | Industrial use adapters | Yes | 2 | No | 1000V, 800A. |
| IEC 60309-4 | | Industrial use adapters | Yes | 2 | No | 1000V, 800A. |
| IEC 60320-1 | | Appliance couplers for household and similar general purposes | Yes | 2 | No | |
| IEC 60320-3 | | Appliance couplers for household and similar general purposes | Yes | 2 | No | |
| IEC 60335-1 | | Household appliances | Yes | 2 | No | |
| IEC 60335-2-12 | | Household appliances | Yes | 2 | No | |
| IEC 60335-2-14 | | Household appliances | Yes | 2 | No | |
| IEC 60335-2-15 | | Household appliances | Yes | 2 | No | |
| IEC 60335-2-21 | | Household appliances | Yes | 2 | No | |
| IEC 60335-2-23 | | Household appliances | Yes | 2 | No | |
| IEC 60335-2-25 | | Household appliances | Yes | 2 | No | |
| IEC 60335-2-28 | | Household appliances | Yes | 2 | No | |
| IEC 60335-2-29 | | Household appliances | Yes | 2 | No | |
| IEC 60335-2-3 | | Household appliances | Yes | 2 | No | |
| IEC 60335-2-32 | | Household appliances | Yes | 2 | No | |
| IEC 60335-2-35 | | Household appliances | Yes | 2 | No | |
| IEC 60335-2-40 | | Household appliances | Yes | 2 | No | |
| IEC 60335-2-41 | | Household appliances | Yes | 2 | No | |
| IEC 60335-2-43 | | Household appliances | Yes | 2 | No | |
| IEC 60335-2-44 | | Household appliances | Yes | 2 | No | |
| IEC 60335-2-5 | | Household appliances | Yes | 2 | No | |
| IEC 60335-2-6 | | Household appliances | Yes | 2 | No | |
| IEC 60335-2-61 | | Household appliances | Yes | 2 | No | |

Electrical testing

Electrical safety

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|---------------------------------|------------------|----------------------|-------------|---------------------|--------------|-------------|
| IEC 60335-2-64 | | Household appliances | Yes | 2 | No | |
| IEC 60335-2-65 | | Household appliances | Yes | 2 | No | |
| IEC 60335-2-70 | | Household appliances | Yes | 2 | No | |
| IEC 60335-2-73 | | Household appliances | Yes | 2 | No | |
| IEC 60335-2-74 | | Household appliances | Yes | 2 | No | |
| IEC 60335-2-75 | | Household appliances | Yes | 2 | No | |
| IEC 60335-2-8 | | Household appliances | Yes | 2 | No | |
| IEC 60335-2-80 | | Household appliances | Yes | 2 | No | |
| IEC 60335-2-85 | | Household appliances | Yes | 2 | No | |
| IEC 60335-2-9 | | Household appliances | Yes | 2 | No | |
| IEC 60335-2-97 | | Household appliances | Yes | 2 | No | |
| IEC 60384-14 | | Electrical equipment | Yes | 2 | No | |
| | | Household appliances | Yes | 2 | No | |
| IEC 60598-1:2008 | | Luminaires | No | | No | |
| IEC 60598-1:2014+A1:2017 | | Luminaires | No | | No | |
| IEC 60598-1:2020 | | Luminaires | No | | No | |
| IEC 60598-2-1:1979/A1:1987 | | Luminaires | No | | No | |
| IEC 60598-2-1:2020 | | Luminaires | No | | No | |
| IEC 60598-2-10:2003 | | Luminaires | No | | No | |
| IEC 60598-2-13:2006/A2:2016 | | Luminaires | No | | No | |
| IEC 60598-2-19:1981/A2:1997 | | Luminaires | No | | No | |
| IEC 60598-2-2:2011 | | Luminaires | No | | No | |
| IEC 60598-2-2:2023 | | Luminaires | No | | No | |
| IEC 60598-2-20:2010 | | Luminaires | No | | No | |

Electrical testing

Electrical safety

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|-----------------------------|------------------|------------------------------|-------------|---------------------|--------------|---|
| IEC 60598-2-20:2014 | | Luminares | No | | No | |
| IEC 60598-2-20:2022 | | Luminares | No | | No | |
| IEC 60598-2-21:2014 | | Luminares | No | | No | |
| IEC 60598-2-22:2014/A1:2020 | | Luminares | No | | No | |
| IEC 60598-2-22:2021 | | Luminares | No | | No | |
| IEC 60598-2-24:2013 | | Luminares | No | | No | |
| IEC 60598-2-3:2002/A1:2011 | | Luminares | No | | No | |
| IEC 60598-2-4:2017 | | Luminares | No | | No | |
| IEC 60598-2-5:2015 | | Luminares | No | | No | |
| IEC 60601-1 | | Medical electrical equipment | Yes | 2 | Yes | 3rd edition: clause 11.6.7 sterilization, in Annex G AP and APG equipment |
| IEC 60601-1-1 | | Medical electrical equipment | Yes | 2 | No | |
| IEC 60601-1-11 | | Medical electrical equipment | Yes | 2 | No | |
| IEC 60601-1-12 | | Medical electrical equipment | Yes | 2 | No | |
| IEC 60601-1-6 | | Medical electrical equipment | Yes | 2 | No | |
| IEC 60601-1-8 | | Medical electrical equipment | Yes | 2 | No | |
| IEC 60601-2-12 | | Medical electrical equipment | Yes | 2 | No | |
| IEC 60601-2-13 | | Medical electrical equipment | Yes | 2 | No | |

Electrical testing

Electrical safety

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|----------------------------------|------------------|--|-------------|---------------------|--------------|---|
| IEC 60669-1 | | Switches for households and similar fixed electrical installations | Yes | 2 | No | |
| IEC 60730-1 | | Automatic electrical controls for household use | Yes | 2 | No | |
| IEC 60730-2-7 | | Automatic electrical controls for household use | Yes | 2 | No | |
| IEC 60730-2-9 | | Automatic electrical controls for household use | Yes | 2 | No | |
| IEC 60745-2-15 | | Electrical equipment | Yes | 2 | No | Not included: measurement of vibrations |
| IEC 60745-2-17 | | Electrical equipment | Yes | 2 | No | Not included: measurement of vibrations |
| IEC 60799 | | Cord sets | Yes | 2 | No | |
| IEC 60825-1 | | Laser | Yes | 2 | No | 180-10600 nm |
| IEC 60825-2 | | Laser | Yes | 2 | No | |
| IEC 60884-1:2002/A1:2006/A2:2013 | | Sensors | No | | No | |
| IEC 60884-1:2022 | | Sensors | No | | No | |
| IEC 60884-2-1 | | Sensors | Yes | 2 | No | |
| IEC 60884-2-2 | | Sensors | Yes | 2 | No | |
| IEC 60884-2-3 | | Sensors | Yes | 2 | No | |
| IEC 60884-2-4 | | Sensors | Yes | 2 | No | |
| IEC 60884-2-5:2017 | | Sensors | No | | No | |
| IEC 60884-2-6 | | Sensors | Yes | 2 | No | |
| IEC 60884-2-7:2011/A1:2013 | | Sensors | No | | No | |

Electrical testing

Electrical safety

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|---------------|------------------|---|-------------|---------------------|--------------|--------------------------------------|
| IEC 60934 | | Circuit-breakers | Yes | 2 | No | Max test current 500A AC and 100A DC |
| IEC 60939-3 | | Electrical equipment | Yes | 2 | No | |
| | | Passive filter units for electromagnetic interference suppression | Yes | 2 | No | Max test current 500A AC and 100A DC |
| IEC 60947-1 | | Switchgear | Yes | 2 | No | Max test current 500A AC and 100A DC |
| IEC 60947-2 | | Switchgear | Yes | 2 | No | Max test current 500A AC and 100A DC |
| IEC 60947-3 | | Switchgear | Yes | 2 | No | Max test current 500A AC and 100A DC |
| IEC 60947-4-1 | | Switchgear | Yes | 2 | No | Max test current 500A AC and 100A DC |
| IEC 60947-4-2 | | Switchgear | Yes | 2 | No | Max test current 500A AC and 100A DC |
| IEC 60947-4-3 | | Switchgear | Yes | 2 | No | Max test current 500A AC and 100A DC |
| IEC 60947-5-1 | | Switchgear | Yes | 2 | No | Max test current 500A AC and 100A DC |
| IEC 60947-5-2 | | Switchgear | Yes | 2 | No | Max test current 500A AC and 100A DC |
| IEC 60947-5-3 | | Switchgear | Yes | 2 | No | Max test current 500A AC and 100A DC |
| IEC 60947-5-4 | | Switchgear | Yes | 2 | No | Max test current 500A AC and 100A DC |
| IEC 60947-5-5 | | Switchgear | Yes | 2 | No | Max test current 500A AC and 100A DC |
| IEC 60947-5-8 | | Switchgear | Yes | 2 | No | Max test current 500A AC and 100A DC |

Electrical testing

Electrical safety

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|---------------|------------------|---|-------------|---------------------|--------------|--------------------------------------|
| IEC 60950 | | Multimedia products and office machines | Yes | 2 | No | |
| IEC 60950-1 | | Multimedia products and office machines | Yes | 2 | No | |
| IEC 60950-21 | | Multimedia products and office machines | Yes | 2 | No | |
| IEC 60950-22 | | Multimedia products and office machines | Yes | 2 | No | |
| IEC 60950-23 | | Multimedia products and office machines | Yes | 2 | No | |
| IEC 60998-1 | | Couplings for low voltage installations in homes and similar uses | Yes | 2 | No | Max test current 500A AC and 100A DC |
| IEC 60998-2-1 | | Couplings for low voltage installations in homes and similar uses | Yes | 2 | No | Max test current 500A AC and 100A DC |
| IEC 61008-1 | | Residual current operated circuit-breakers without integral overcurrent protection for household and similar uses | Yes | 2 | No | |
| IEC 61008-2-1 | | Residual current operated circuit-breakers without integral overcurrent protection for household and similar uses | Yes | 2 | No | |
| IEC 61009-1 | | Residual current operated circuit-breakers with integral overcurrent protection for household and similar uses | Yes | 2 | No | |

Electrical testing

Electrical safety

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|------------------------------------|------------------|--|-------------|---------------------|--------------|--------------------------------------|
| IEC 61009-2-1 | | Residual current operated circuit-breakers with integral overcurrent protection for household and similar uses | Yes | 2 | No | |
| IEC 61010-1 | | Medical electrical equipment | Yes | 2 | No | |
| IEC 61058-1 | | Switches for appliances | Yes | 2 | No | |
| IEC 61058-1-1 | | Switches for appliances | Yes | 2 | No | |
| IEC 61058-1-2 | | Switches for appliances | Yes | 2 | No | |
| IEC 61058-2-1 | | Switches for appliances | Yes | 2 | No | |
| IEC 61347-1:2015 | | Electrical equipment | No | | No | |
| IEC 61347-2-11:2001/A1:2017 | | Electrical equipment | No | | No | |
| IEC 61347-2-13:2014/A1:2016 | | Electrical equipment | No | | No | |
| IEC 61347-2-7:2011 | | Electrical equipment | No | | No | |
| IEC 61347-2-7:2011/A1:2017/A2:2021 | | Electrical equipment | No | | No | |
| IEC 61386-1 | | Installation materials | Yes | 2 | No | Max test current 500A AC and 100A DC |
| IEC 61386-21 | | Installation materials | Yes | 2 | No | Max test current 500A AC and 100A DC |
| IEC 61386-22 | | Installation materials | Yes | 2 | No | Max test current 500A AC and 100A DC |
| IEC 61439-1 | | Low voltage controlgear | Yes | 2 | No | Max test current 500A AC and 100A DC |
| IEC 61439-2 | | Low voltage controlgear | Yes | 2 | No | Max test current 500A AC and 100A DC |

Electrical testing

Electrical safety

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|----------------|------------------|---|-------------|---------------------|--------------|---|
| IEC 61439-3 | | Low voltage controlgear | Yes | 2 | No | Max test current 500A AC and 100A DC |
| IEC 61439-4 | | Low voltage controlgear | Yes | 2 | No | Max test current 500A AC and 100A DC |
| IEC 61439-5 | | Low voltage controlgear | Yes | 2 | No | Max test current 500A AC and 100A DC |
| IEC 61439-6 | | Low voltage controlgear | Yes | 2 | No | Not included: sections 10.101, 10.102. Max test current 500A AC and 100A DC |
| IEC 61534-1 | | Cable ducting systems | Yes | 2 | No | |
| IEC 61534-21 | | Cable ducting systems | Yes | 2 | No | |
| IEC 61534-22 | | Cable ducting systems | Yes | 2 | No | |
| IEC 61535 | | Sensors | Yes | 2 | No | Only Class II (max 3 kA) and Class III (max 6.6 kV) |
| IEC 61540 | | Electrical equipment | Yes | 2 | No | |
| IEC 61558-1 | | Electrical equipment | Yes | 2 | No | |
| IEC 61558-2-16 | | Electrical equipment | Yes | 2 | No | |
| IEC 61558-2-6 | | Electrical equipment | Yes | 2 | No | |
| IEC 61851-1 | | Vehicle charger | Yes | 2 | No | Charging mode 4 is excluded |
| IEC 61951-1 | | Portable rechargeable cells and batteries | Yes | 2 | No | Only for intervals 1 mA - 50 A. Not included: section 8. |
| IEC 61951-2 | | Portable rechargeable cells and batteries | Yes | 2 | No | Only for intervals 1 mA - 50 A. Not included: section 8. |
| IEC 61960 | | Portable rechargeable cells and batteries | Yes | 2 | No | Only for intervals 1 mA - 50 A. Not included: section 7.8. |
| IEC 61984 | | Sensors | Yes | 2 | No | |
| IEC 61995-1 | | Sensors | Yes | 2 | No | |
| IEC 61995-2 | | Sensors | Yes | 2 | No | |
| IEC 62031:2018 | | Electrical equipment | No | | No | |

Electrical testing

Electrical safety

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|---------------------------|-------------------------------|---|-------------|---------------------|--------------|-------------|
| IEC 62031:2020 | | Electrical equipment | No | | No | |
| IEC 62040-1 | | Multimedia products and office machines | Yes | 2 | No | |
| IEC 62040-2 | | Multimedia products and office machines | Yes | 2 | No | |
| IEC 62133-1 | | Lead acid starter batteries | Yes | 2 | No | |
| IEC 62133-2 | | Lead acid starter batteries | Yes | 2 | No | |
| IEC 62304 | Software life-cycle processes | Medical Devices | Yes | 2 | No | |
| IEC 62366 | Usability | Medical Devices | Yes | 2 | No | |
| IEC 62366-1 | Usability | Medical Devices | Yes | 2 | No | |
| IEC 62368-1 | | Multimedia products and office machines | Yes | 2 | Yes | |
| IEC 62368-3 | | Multimedia products and office machines | Yes | 2 | No | |
| IEC 62384 | | Electrical equipment | Yes | 2 | No | |
| IEC 62444 | | Installation materials | Yes | 2 | No | |
| IEC 62471 | | Electrical equipment | Yes | 2 | No | |
| IEC 62560:2011/A1:2015 | | Electrical equipment | No | | No | |
| IEC 62560:2011-02+C1:2012 | | Electrical equipment | No | | No | |
| IEC 62612:2013 | | Electrical equipment | No | | No | |
| IEC 62717 | Performance | Electrical equipment | Yes | 2 | No | |
| IEC 62722-1 | Performance | Electrical equipment | Yes | 2 | No | |
| IEC 62722-2-1 | Performance | Electrical equipment | Yes | 2 | No | |
| IEC 62841-1 | | Electrical equipment | Yes | 2 | No | |
| IEC/PAS 62612:2009-06 | | Electrical equipment | No | | No | |

Electrical testing

Electrical safety

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|---|------------------|---|-------------|---------------------|--------------|--------------------------------------|
| IEC/TR 62778 | | Electrical equipment | Yes | 2 | No | |
| IES LM-79-08 | | Electrical equipment | Yes | 2 | No | |
| IES LM-82-12 | | Electrical equipment | Yes | 2 | No | |
| IES LM-84-14 | | Electrical equipment | Yes | 2 | No | |
| Intern metod; IS DOC 15:1 | | Primary batteries | Yes | 2 | No | |
| ISO 10535 | | Medical electrical equipment | Yes | 2 | No | Not included: sections 7.2.1.6, 8, 9 |
| ISO 80601-2-12 | | Medical electrical equipment | Yes | 2 | Yes | |
| ISO 80601-2-13 | | Medical electrical equipment | Yes | 2 | Yes | |
| ISO 80601-2-55 | | Medical electrical equipment | Yes | 2 | Yes | |
| Nordic ecolabelling of rechargeable batteries och battery chargers (Svanen) | | Portable rechargeable cells and batteries | Yes | 2 | No | Not included: sections 1, 2, 3 |
| PNS 189:2000 | | Luminaires | No | | No | |
| SS 4280831 | | Sensors | Yes | 2 | No | |
| SS 4280834 | | Sensors | Yes | 2 | No | |
| SS 4280869 | | Installation materials | Yes | 2 | No | |
| UN38.3 | | Lead acid starter batteries | Yes | 2 | No | |

Electrical testing

EMC

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|----------------|------------------|----------------------|-------------|---------------------|--------------|-------------|
| 3GPP TS 36.113 | | Electrical equipment | Yes | 2 | No | |

Electrical testing

EMC

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|----------------|------------------|----------------------|-------------|---------------------|--------------|---|
| 3GPP TS 37.113 | | Electrical equipment | Yes | 2 | No | |
| 3GPP TS 38.113 | | Electrical equipment | Yes | 2 | No | |
| ANSI C63.26 | | Radio parameters | Yes | 2 | No | |
| ATT-TP-76200 | | Electrical equipment | Yes | 2 | No | Only section 2.1, 2.2, 3.2.1.1, 3.2.1.2, 3.2.2, 3.2.3, 3.3.1, 3.3.2, 3.3.3, 4.6.2 (only R4-14, R4-15, R4-16, R4-17, R4-18), 4.6.2.1.5 (only R4-19, R4-20), 4.6.2.1.7 (only R4-25) |
| CISPR 11 | | Electrical equipment | Yes | 2 | No | Not included: induction boilers for commercial use and those for domestic use with a diagonal diameter of more than 1,6 m |
| CISPR 13 | | Electrical equipment | Yes | 2 | No | Not included: TV and audio receiver for broadcasting satellite broadcasting |
| CISPR 14-1 | | Electrical equipment | Yes | 2 | No | |
| CISPR 14-2 | | Electrical equipment | Yes | 2 | No | |
| CISPR 15 | | Electrical equipment | Yes | 2 | No | |
| CISPR 16-2-1 | | Electrical equipment | Yes | 2 | No | |
| CISPR 16-2-3 | | Electrical equipment | Yes | 2 | No | |
| CISPR 20 | | Electrical equipment | Yes | 2 | No | |
| CISPR 22 | | Electrical equipment | Yes | 2 | No | Not included: 9.6.3.5 |
| CISPR 24 | | Electrical equipment | Yes | 2 | No | |
| CISPR 32 | | Electrical equipment | Yes | 2 | No | Not included: C.4.1.6.4 |
| CISPR 35 | | Electrical equipment | Yes | 2 | No | |
| | | Radio parameters | Yes | 2 | No | |
| EN 300220-2 | | Radio parameters | Yes | 2 | No | |
| EN 300328 | | Radio parameters | Yes | 2 | No | |

Electrical testing

EMC

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|-----------------|------------------|----------------------|-------------|---------------------|--------------|--|
| EN 300330 | | Radio parameters | Yes | 2 | No | |
| EN 300386 | | Radio parameters | Yes | 2 | No | |
| EN 300440 | | Radio parameters | Yes | 2 | No | |
| EN 301489-1 | | Radio parameters | Yes | 2 | No | |
| EN 301489-17 | | Radio parameters | Yes | 2 | No | |
| EN 301489-50 | | Radio parameters | Yes | 2 | No | |
| EN 301908-1 | | Radio parameters | Yes | 2 | No | |
| EN 50121-3-2 | | Electrical equipment | Yes | 2 | No | |
| EN 50121-4:2006 | | Electrical equipment | No | | No | Not included: test according to EN 61000-4-9 |
| EN 50130-4 | | Electrical equipment | Yes | 2 | No | |
| EN 55011 | | Electrical equipment | Yes | 2 | No | Not included: induction boilers for commercial use and those for domestic use with a diagonal diameter of more than 1,6 m |
| EN 55013 | | Electrical equipment | Yes | 2 | No | Not included: TV and audio receiver for broadcasting satellite broadcasting |
| EN 55014-1 | | Electrical equipment | Yes | 2 | No | |
| EN 55014-2 | | Electrical equipment | Yes | 2 | No | |
| EN 55015 | | Electrical equipment | Yes | 2 | No | |
| EN 55016-2-1 | | Electrical equipment | Yes | 2 | No | |
| EN 55016-2-3 | | Electrical equipment | Yes | 2 | No | |
| EN 55020 | | Electrical equipment | Yes | 2 | No | Not included: TV and audio receiver for transmission satellite transmission and digital TV receiver for DVB, except DVB-T. |
| EN 55022 | | Electrical equipment | Yes | 2 | No | Not included: 9.6.3.5 |
| EN 55024 | | Electrical equipment | Yes | 2 | No | |

Electrical testing

EMC

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|--------------------|------------------|----------------------|-------------|---------------------|--------------|---|
| EN 55032 | | Electrical equipment | Yes | 2 | No | Not included: C.4.1.6.4 |
| EN 55035 | | Electrical equipment | Yes | 2 | No | |
| EN 55103-1 | | Electrical equipment | Yes | 2 | No | Not included: wireless microphones |
| EN 55103-2 | | Electrical equipment | Yes | 2 | No | Not included: balanced signal and control ports |
| EN 60601-1-11 | | Electrical equipment | Yes | 2 | No | |
| EN 60601-1-12 | | Electrical equipment | Yes | 2 | No | |
| EN 60601-1-2 | | Electrical equipment | Yes | 2 | No | |
| EN 60601-2-1:1998 | | Electrical equipment | No | | No | |
| EN 60601-2-23:2000 | | Electrical equipment | No | | No | |
| EN 60601-2-26:2003 | | Electrical equipment | No | | No | |
| EN 60601-2-27:1994 | | Electrical equipment | No | | No | |
| EN 60601-2-30:1995 | | Electrical equipment | No | | No | |
| EN 60601-2-34:2000 | | Electrical equipment | No | | No | |
| EN 60601-2-35:1996 | | Electrical equipment | No | | No | |
| EN 60601-2-40:1998 | | Electrical equipment | No | | No | |
| EN 60601-2-45:2001 | | Electrical equipment | No | | No | |
| EN 60601-2-46:1998 | | Electrical equipment | No | | No | |
| EN 60669-2-1 | | Electrical equipment | Yes | 2 | No | |
| EN 60947-6-1:2005 | | Electrical equipment | No | | No | Max test current 500A AC and 100A DC |
| EN 61000-3-11 | | Electrical equipment | Yes | 2 | No | |
| EN 61000-3-12 | | Electrical equipment | Yes | 2 | No | |
| EN 61000-3-2 | | Electrical equipment | Yes | 2 | No | |
| EN 61000-3-3 | | Electrical equipment | Yes | 2 | No | |
| EN 61000-4-11 | | Electrical equipment | Yes | 2 | No | |

Electrical testing

EMC

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|-------------------|------------------|----------------------|-------------|---------------------|--------------|---|
| EN 61000-4-13 | | Electrical equipment | Yes | 2 | No | |
| EN 61000-4-16 | | Electrical equipment | Yes | 2 | No | |
| EN 61000-4-17 | | Electrical equipment | Yes | 2 | No | |
| EN 61000-4-18 | | Electrical equipment | Yes | 2 | No | |
| EN 61000-4-2 | | Electrical equipment | Yes | 2 | No | |
| EN 61000-4-21 | | Electrical equipment | Yes | 2 | No | |
| EN 61000-4-29 | | Electrical equipment | Yes | 2 | No | |
| EN 61000-4-3 | | Electrical equipment | Yes | 2 | No | |
| EN 61000-4-34 | | Electrical equipment | Yes | 2 | No | |
| EN 61000-4-39 | | Electrical equipment | Yes | 2 | No | |
| EN 61000-4-4 | | Electrical equipment | Yes | 2 | No | |
| EN 61000-4-5 | | Electrical equipment | Yes | 2 | No | |
| EN 61000-4-6 | | Electrical equipment | Yes | 2 | No | |
| EN 61000-4-8:2010 | | Electrical equipment | No | | No | |
| EN 61000-6-1 | | Electrical equipment | Yes | 2 | No | |
| EN 61000-6-2 | | Electrical equipment | Yes | 2 | No | |
| EN 61000-6-3 | | Electrical equipment | Yes | 2 | No | Not included: test facility TEM Waveguide & Far |
| EN 61000-6-4 | | Electrical equipment | Yes | 2 | No | Not included: test facility TEM Waveguide & Far |
| EN 61000-6-8 | | Electrical equipment | Yes | 2 | No | |
| EN 61326-1 | | Electrical equipment | Yes | 2 | No | |
| EN 61326-2-1:2006 | | Electrical equipment | No | | No | |
| EN 61326-2-2:2006 | | Electrical equipment | No | | No | |
| EN 61326-2-3:2006 | | Electrical equipment | No | | No | |
| EN 61326-2-6:2006 | | Electrical equipment | No | | No | |

Electrical testing

EMC

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|--------------------|------------------|----------------------|-------------|---------------------|--------------|--|
| EN 61326-3-1:2008 | | Electrical equipment | No | | No | Not included: DC Port Requirements, Short Interrupt, IEC 61000-4-29 |
| EN 61326-3-2:2008 | | Electrical equipment | No | | No | Not included: DC Port Requirements, Short Interrupt, IEC 61000-4-29 |
| EN 61547 | | Electrical equipment | Yes | 2 | No | |
| EN 61800-3:2004 | | Electrical equipment | No | | No | Not included: section 5.2, 6.2.2, 6.4.1.2, 6.4.2.3 och testing of equipment rated above 1000 V, category |
| EN IEC 61851-21-2 | | Vehicle charger | Yes | 2 | No | |
| ETSI EN 300 220-1 | | Radio parameters | Yes | 2 | No | |
| ETSI EN 300 220-2 | | Radio parameters | Yes | 2 | No | Not included: equipment for voice applications |
| ETSI EN 300 328 | | Radio parameters | Yes | 2 | No | |
| ETSI EN 300 330 | | Radio parameters | Yes | 2 | No | |
| ETSI EN 300 330-1 | | Radio parameters | Yes | 2 | No | |
| ETSI EN 300 330-2 | | Radio parameters | Yes | 2 | No | |
| ETSI EN 300 386 | | Electrical equipment | Yes | 2 | No | |
| ETSI EN 300 440 | | Radio parameters | Yes | 2 | No | |
| ETSI EN 300 440-1 | | Radio parameters | Yes | 2 | No | Not included: measurements over 40 GHz |
| ETSI EN 300 440-2 | | Radio parameters | Yes | 2 | No | |
| ETSI EN 300 609-4 | | Radio parameters | Yes | 2 | No | |
| ETSI EN 301 489-1 | | Electrical equipment | Yes | 2 | No | Not included: equipment for use in vehicle environment |
| ETSI EN 301 489-17 | | Electrical equipment | Yes | 2 | No | Not included: equipment for use in vehicle environment |

Electrical testing

EMC

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|---------------------------|------------------|-------------------------|-------------|---------------------|--------------|---|
| ETSI EN 301 489-18 | | Electrical equipment | Yes | 2 | No | Not included: equipment for use in vehicle environment |
| ETSI EN 301 489-23 | | Electrical equipment | Yes | 2 | No | Not included: equipment for use in vehicle environment |
| ETSI EN 301 489-3 | | Electrical equipment | Yes | 2 | No | Not included: equipment powered by the battery of a vehicle |
| ETSI EN 301 489-34 | | Electrical equipment | Yes | 2 | No | Not included: equipment for use in vehicle environment |
| ETSI EN 301 489-4 | | Electrical equipment | Yes | 2 | No | Not included: equipment for use in vehicle environment |
| ETSI EN 301 489-5 | | Electrical equipment | Yes | 2 | No | Not included: equipment for use in vehicle environment |
| ETSI EN 301 489-50 | | Electrical equipment | Yes | 2 | No | Not included: spectrum access for monitoring systems |
| ETSI EN 301 489-52 | | Radio parameters | Yes | 2 | No | |
| ETSI EN 301 489-7 | | Electrical equipment | Yes | 2 | No | Not included: equipment for use in vehicle environment |
| ETSI EN 301 489-8 | | Electrical equipment | Yes | 2 | No | Not included: equipment for use in vehicle environment |
| ETSI EN 301 502 | | Radio parameters | Yes | 2 | No | Only radiated spurioses |
| ETSI EN 301 511 | | Radio parameters | Yes | 2 | No | Only spurioses |
| ETSI EN 301 893 | Verification | Radio parameters | Yes | 2 | No | |
| ETSI EN 301 908-1 | Verification | Radio parameters | Yes | 2 | No | |
| ETSI EN 301 908-11 | | Radio parameters | Yes | 2 | No | |
| ETSI EN 302 208 | | Radio parameters | Yes | 2 | No | |
| ETSI EN 303 417 | | Radio parameters | Yes | 2 | No | |
| ETSI TS 136 113 | | Electrical equipment | Yes | 2 | No | |
| ETSI TS 137 113 | | Electrical equipment | Yes | 2 | No | |

Electrical testing

EMC

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|--------------------|------------------|----------------------|-------------|---------------------|--------------|---|
| ETSI TS 137 113 | | Radio parameters | Yes | 2 | No | |
| ETSI TS 137 114 | | Electrical equipment | Yes | 2 | No | |
| | | Radio parameters | Yes | 2 | No | |
| ETSI TS 138 113 | | Electrical equipment | Yes | 2 | No | |
| | | Radio parameters | Yes | 2 | No | |
| FCC Part 15 | | Electrical equipment | No | | No | |
| FCC Part 18 | | Electrical equipment | No | | No | |
| FCC Part 2 | | Radio parameters | Yes | 2 | No | |
| FCC Part 20 | | Radio parameters | Yes | 2 | No | |
| FCC Part 22 | | Radio parameters | Yes | 2 | No | |
| FCC Part 24 | | Radio parameters | Yes | 2 | No | |
| FCC Part 25 | | Radio parameters | Yes | 2 | No | |
| FCC Part 27 | | Radio parameters | Yes | 2 | No | |
| FCC/OET MP-5:1986 | | Electrical equipment | No | | No | |
| GR-1089-CORE | | Electrical equipment | Yes | 2 | No | Only sektion 2.1, 2.2, 3.2.1.1, 3.2.1.2, 3.2.2, 3.2.3, 3.3.1, 3.3.2, 3.3.3, 4.6.2 (only R4-14, R4-15, R4-16, R4-17, R4-18), 4.6.2.1.5 (only R4-19, R4-20), 4.6.2.1.7 (only R4-25) |
| ICES-001 | | Electrical equipment | Yes | 2 | No | |
| ICES-003 | | Electrical equipment | Yes | 2 | No | |
| ICES-005 | | Electrical equipment | Yes | 2 | No | |
| IEC 60255-26 | | Electrical equipment | Yes | 2 | No | |
| IEC 60601-1-11 | | Electrical equipment | Yes | 2 | No | |
| IEC 60601-1-12 | | Electrical equipment | Yes | 2 | No | |
| IEC 60601-1-2 | | Electrical equipment | Yes | 2 | No | |
| IEC 60601-2-1:1998 | | Electrical equipment | No | | No | |

Electrical testing

EMC

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|---------------------|------------------|----------------------|-------------|---------------------|--------------|--------------------------------------|
| IEC 60601-2-23:1999 | | Electrical equipment | No | | No | |
| IEC 60601-2-26:2002 | | Electrical equipment | No | | No | |
| IEC 60601-2-27:1994 | | Electrical equipment | No | | No | |
| IEC 60601-2-27:2005 | | Electrical equipment | No | | No | |
| IEC 60601-2-30:1995 | | Electrical equipment | No | | No | |
| IEC 60601-2-34:2000 | | Electrical equipment | No | | No | |
| IEC 60601-2-35:1996 | | Electrical equipment | No | | No | |
| IEC 60601-2-40:1998 | | Electrical equipment | No | | No | |
| IEC 60601-2-45:2001 | | Electrical equipment | No | | No | |
| IEC 60601-2-46:1998 | | Electrical equipment | No | | No | |
| IEC 60669-2-1 | | Electrical equipment | Yes | 2 | No | |
| IEC 60947-6-1:2005 | | Electrical equipment | No | | No | Max test current 500A AC and 100A DC |
| IEC 61000-3-11 | | Electrical equipment | Yes | 2 | No | |
| IEC 61000-3-12 | | Electrical equipment | Yes | 2 | No | |
| IEC 61000-3-2 | | Electrical equipment | Yes | 2 | No | |
| IEC 61000-3-3 | | Electrical equipment | Yes | 2 | No | |
| IEC 61000-4-11 | | Electrical equipment | Yes | 2 | No | |
| IEC 61000-4-13 | | Electrical equipment | Yes | 2 | No | |
| IEC 61000-4-16 | | Electrical equipment | Yes | 2 | No | |
| IEC 61000-4-17 | | Electrical equipment | Yes | 2 | No | |
| IEC 61000-4-18 | | Electrical equipment | Yes | 2 | No | |
| IEC 61000-4-2 | | Electrical equipment | Yes | 2 | No | |
| IEC 61000-4-21 | | Electrical equipment | Yes | 2 | No | |
| IEC 61000-4-3 | | Electrical equipment | Yes | 2 | No | |
| IEC 61000-4-34 | | Electrical equipment | Yes | 2 | No | |
| IEC 61000-4-39 | | Electrical equipment | Yes | 2 | No | |

Electrical testing

EMC

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|----------------------|------------------|-----------------------------|-------------|---------------------|--------------|--|
| IEC 61000-4-4 | | Electrical equipment | Yes | 2 | No | |
| IEC 61000-4-5 | | Electrical equipment | Yes | 2 | No | |
| IEC 61000-4-6 | | Electrical equipment | Yes | 2 | No | |
| IEC 61000-4-8:2009 | | Electrical equipment | No | | No | |
| IEC 61000-6-1 | | Electrical equipment | Yes | 2 | No | |
| IEC 61000-6-2 | | Electrical equipment | Yes | 2 | No | |
| IEC 61000-6-3 | | Electrical equipment | Yes | 2 | No | Not included: test facility TEM Waveguide & Far |
| IEC 61000-6-4 | | Electrical equipment | Yes | 2 | No | Not included: test facility TEM Waveguide & Far |
| IEC 61000-6-8 | | Electrical equipment | Yes | 2 | No | |
| IEC 61326-1 | | Electrical equipment | Yes | 2 | No | |
| IEC 61326-2-1:2005 | | Electrical equipment | No | | No | |
| IEC 61326-2-2:2005 | | Electrical equipment | No | | No | |
| IEC 61326-2-3:2006 | | Electrical equipment | No | | No | |
| IEC 61326-2-6:2005 | | Electrical equipment | No | | No | |
| IEC 61326-3-1:2008 | | Electrical equipment | No | | No | Not included: DC Port Requirements, Short Interrupt, IEC 61000-4-29 |
| IEC 61326-3-2:2008 | | Electrical equipment | No | | No | Not included: DC Port Requirements, Short Interrupt, IEC 61000-4-29 |
| IEC 61547 | | Electrical equipment | Yes | 2 | No | |
| IEC 61800-3:2004 | | Electrical equipment | No | | No | Not included: section 5.2, 6.2.2, 6.4.1.2, 6.4.2.3 och testing of equipment rated above 1000 V, category |
| IEC 61851-21-2 | | Vehicle charger | Yes | 2 | No | |
| RSS-Gen | | Radio parameters | No | | No | |

Functional testing

Electrical safety

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|-----------------------|------------------|----------------------|-------------|---------------------|--------------|-----------------|
| ATT-TP-76200 Issue 18 | | Electrical equipment | No | | No | Only section 10 |

IT- and communications testing

Electrical safety

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|---------------|------------------|-----------------|-------------|---------------------|--------------|-------------|
| EN 60945 | | Radio equipment | Yes | 2 | No | |

IT- and communications testing

EMC

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|---------------|------------------|----------------------|-------------|---------------------|--------------|-------------|
| ICES-003 | Verification | Electrical equipment | Yes | 2 | No | |

IT- and communications testing

Radio frequency

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|---------------|------------------|-----------------|-------------|---------------------|--------------|-------------|
| EN 60945 | | Radio equipment | Yes | 2 | No | |
| IEC 60945 | | Radio equipment | Yes | 2 | No | |
| SS-EN 60945 | | Radio equipment | Yes | 2 | No | |

Safety testing

Electrical safety

| <i>Method</i> | <i>Parameter</i> | <i>Material</i> | <i>Flex</i> | <i>Type of flex</i> | <i>Field</i> | <i>Note</i> |
|----------------------------------|------------------|---|-------------|---------------------|--------------|-------------|
| IEC 60950-1:2005/A1:2009/A2:2013 | | Multimedia products and office machines | No | | No | |

Date

Reference

2024-04-26

2024/740

Changes in the scope of accreditation are in bold.

The accreditation also applies to the corresponding version of the international EN and ISO standards.

The scope of accreditation is flexible as specified in this decision. The accredited body must always retain a current list of the scope for which it is accredited.

Type of flexible scope

1: - Introduce new version of standard method and make editorial changes to non-standard method

2: - Introduce new version of standard method and make editorial changes to non-standard method - Introduce new version and modifications of non-standard method. The procedure must be equivalent - Introduce new parameter/component/characteristics - Introduce new measurement range - Introduce new material/new products/matrices - Introduce new method equivalent to methods already in the accreditation decision